

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: HOPWOOD, JOHN JOSEPH; SCOTT, HAMISH STEELE;
WEBER, BIRGIT; BLANCH, LIANNE; ANSON, DONALD STEWART

(ii) TITLE OF INVENTION: SYNTHETIC MAMMALIAN
 α -N-ACETYLGLUCOSAMINIDASE AND GENETIC SEQUENCES ENCODING SAME

(iii) NUMBER OF SEQUENCES: 6

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: NIXON PEABODY LLP
(B) STREET: 990 STEWART AVENUE
(C) CITY: GARDEN CITY
(D) STATE: NEW YORK
(E) COUNTRY: UNITED STATES
(F) ZIP: 11530

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.25

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: 09/077,354
(B) FILING DATE: 22-APRIL-1999

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: PCT/US96/00747
(B) FILING DATE: 22-NOV-1996

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: POKALSKY, ANN R.
(B) REGISTRATION NUMBER: 34,697
(C) REFERENCE/DOCKET NUMBER: 2249/104

(ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: 516 742 4343
(B) TELEFAX: 516 742 4366

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2575 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(vi) ORIGINAL SOURCE:

(A) ORGANISM: Homo sapiens
(F) TISSUE TYPE: Peripheral Blood
(G) CELL TYPE: Leukocyte

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 102..2330

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

```

CCCCGGGCTTA GCCTTCGGGT CCACGTGGCC GGAGGCCGGC AGCTGATTGG ACGCGGGCCG      60
CCCCACCCCC TGGCCGTCGC GGGACCCGCA GGA CTGAGAC C ATG GAG GCG GTG      113
                                         Met Glu Ala Val
                                         1

GCG GTG GCC GCG GCG GTG GGG GTC CTT CTC CTG GCC GGG GCC GGG GGC      161
Ala Val Ala Ala Ala Val Gly Val Leu Leu Leu Ala Gly Ala Gly Gly
   5              10              15              20

GCG GCA GGC GAC GAG GCC CGG GAG GCG GCG GCC GTG CGG GCG CTC GTG      209
Ala Ala Gly Asp Glu Ala Arg Glu Ala Ala Val Arg Ala Leu Val
              25              30              35

GCC CGG CTG CTG GGG CCA GGC CCC GCG GCC GAC TTC TCC GTG TCG GTG      257
Ala Arg Leu Leu Gly Pro Gly Pro Ala Ala Asp Phe Ser Val Ser Val
              40              45              50

GAG CGC GCT CTG GCT GCC AAG CCG GGC TTG GAC ACC TAC AGC CTG GGC      305
Glu Arg Ala Leu Ala Ala Lys Pro Gly Leu Asp Thr Tyr Ser Leu Gly
              55              60              65

GGC GGC GGC GCG GCG CGC GTG CGG GTG CGC GGC TCC ACG GGC GTG GCG      353
Gly Gly Gly Ala Ala Arg Val Arg Val Arg Gly Ser Thr Gly Val Ala
              70              75              80

GCC GCC GCG GGG CTG CAC CGC TAC CTG CGC GAC TTC TGT GGC TGC CAC      401
Ala Ala Ala Gly Leu His Arg Tyr Leu Arg Asp Phe Cys Gly Cys His
   85              90              95              100

GTG GCC TGG TCC GGC TCT CAG CTG CGC CTG CCG CGG CCA CTG CCA GCC      449
Val Ala Trp Ser Gly Ser Gln Leu Arg Leu Pro Arg Pro Leu Pro Ala
              105              110              115

GTG CCG GGG GAG CTG ACC GAG GCC ACG CCC AAC AGG TAC CGC TAT TAC      497
Val Pro Gly Glu Leu Thr Glu Ala Thr Pro Asn Arg Tyr Arg Tyr Tyr
              120              125              130

CAG AAT GTG TGC ACG CAA AGC TAC TCC TTC GTG TGG TGG GAC TGG GCC      545
Gln Asn Val Cys Thr Gln Ser Tyr Ser Phe Val Trp Trp Asp Trp Ala
              135              140              145

CGC TGG GAG CGA GAG ATA GAC TGG ATG GCG CTG AAT GGC ATC AAC CTG      593
Arg Trp Glu Arg Glu Ile Asp Trp Met Ala Leu Asn Gly Ile Asn Leu
              150              155              160

```

GCA CTG GCC TGG AGC GGC CAG GAG GCC ATC TGG CAG CGG GTG TAC CTG Ala Leu Ala Trp Ser Gly Gln Glu Ala Ile Trp Gln Arg Val Tyr Leu 165 170 175 180	641
GCC TTG GGC CTG ACC CAG GCA GAG ATC AAT GAG TTC TTT ACT GGT CCT Ala Leu Gly Leu Thr Gln Ala Glu Ile Asn Glu Phe Phe Thr Gly Pro 185 190 195	689
GCC TTC CTG GCC TGG GGG CGA ATG GGC AAC CTG CAC ACC TGG GAT GGC Ala Phe Leu Ala Trp Gly Arg Met Gly Asn Leu His Thr Trp Asp Gly 200 205 210	737
CCC CTG CCC CCC TCC TGG CAC ATC AAG CAG CTT TAC CTG CAG CAC CGG Pro Leu Pro Pro Ser Trp His Ile Lys Gln Leu Tyr Leu Gln His Arg 215 220 225	785
GTC CTG GAC CAG ATG CGC TCC TTC GGC ATG ACC CCA GTG CTG CCT GCA Val Leu Asp Gln Met Arg Ser Phe Gly Met Thr Pro Val Leu Pro Ala 230 235 240	833
TTC GCG GGG CAT GTT CCC GAG GCT GTC ACC AGG GTG TTC CCT CAG GTC Phe Ala Gly His Val Pro Glu Ala Val Thr Arg Val Phe Pro Gln Val 245 250 255 260	881
AAT GTC ACG AAG ATG GGC AGT TGG GGC CAC TTT AAC TGT TCC TAC TCC Asn Val Thr Lys Met Gly Ser Trp Gly His Phe Asn Cys Ser Tyr Ser 265 270 275	929
TGC TCC TTC CTT CTG GCT CCG GAA GAC CCC ATA TTC CCC ATC ATC GGG Cys Ser Phe Leu Leu Ala Pro Glu Asp Pro Ile Phe Pro Ile Ile Gly 280 285 290	977
AGC CTC TTC CTG CGA GAG CTG ATC AAA GAG TTT GGC ACA GAC CAC ATC Ser Leu Phe Leu Arg Glu Leu Ile Lys Glu Phe Gly Thr Asp His Ile 295 300 305	1025
TAT GGG GCC GAC ACT TTC AAT GAG ATG CAG CCA CCT TCC TCA GAG CCC Tyr Gly Ala Asp Thr Phe Asn Glu Met Gln Pro Pro Ser Ser Glu Pro 310 315 320	1073
TCC TAC CTT GCC GCA GCC ACC ACT GCC GTC TAT GAG GCC ATG ACT GCA Ser Tyr Leu Ala Ala Ala Thr Thr Ala Val Tyr Glu Ala Met Thr Ala 325 330 335 340	1121
GTG GAT ACT GAG GCT GTG TGG CTG CTC CAA GGC TGG CTC TTC CAG CAC Val Asp Thr Glu Ala Val Trp Leu Leu Gln Gly Trp Leu Phe Gln His 345 350 355	1169
CAG CCG CAG TTC TGG GGG CCC GCC CAG ATC AGG GCT GTG CTG GGA GCT Gln Pro Gln Phe Trp Gly Pro Ala Gln Ile Arg Ala Val Leu Gly Ala 360 365 370	1217
GTG CCC CGT GGC CGC CTC CTG GTT CTG GAC CTG TTT GCT GAG AGC CAG Val Pro Arg Gly Arg Leu Leu Val Leu Asp Leu Phe Ala Glu Ser Gln 375 380 385	1265

CCT Pro	GTG Val	TAT Tyr	ACC Thr	CGC Arg	ACT Thr	GCC Ala	TCC Ser	TTC Phe	CAG Gln	GGC Gly	CAG Gln	CCC Pro	TTC Phe	ATC Ile	TGG Trp	1313
390						395						400				
TGC Cys	ATG Met	CTG Leu	CAC His	AAC Asn	TTT Phe	GGG Gly	GGA Gly	AAC Asn	CAT His	GGT Gly	CTT Leu	TTT Phe	GGA Gly	GCC Ala	CTA Leu	1361
405			410						415						420	
GAG Glu	GCT Ala	GTG Val	AAC Asn	GGA Gly	GGC Gly	CCA Pro	GAA Glu	GCT Ala	GCC Ala	CGC Arg	CTC Leu	TTC Phe	CCC Pro	AAC Asn	TCC Ser	1409
			425						430						435	
ACC Thr	ATG Met	GTA Val	GGC Gly	ACG Thr	GGC Gly	ATG Met	GCC Ala	CCC Pro	GAG Glu	GGC Gly	ATC Ile	AGC Ser	CAG Gln	AAC Asn	GAA Glu	1457
			440			445						450				
GTG Val	GTC Val	TAT Tyr	TCC Ser	CTC Leu	ATG Met	GCT Ala	GAG Glu	CTG Leu	GGC Gly	TGG Trp	CGA Arg	AAG Lys	GAC Asp	CCA Pro	GTG Val	1505
455						460						465				
CCA Pro	GAT Asp	TTG Leu	GCA Ala	GCC Ala	TGG Trp	GTG Val	ACC Thr	AGC Ser	TTT Phe	GCC Ala	GCC Ala	CGG Arg	CGG Arg	TAT Tyr	GGG Gly	1553
470						475						480				
GTC Val	TCC Ser	CAC His	CCG Pro	GAC Asp	GCA Ala	GGG Gly	GCA Ala	GCG Ala	TGG Trp	AGG Arg	CTA Leu	CTG Leu	CTC Leu	CGG Arg	AGT Ser	1601
485			490						495						500	

GTG TAC AAC TGC TCC GGG GAG GCC TGC AGG GGC CAC AAT CGT AGC CCG	1649
Val Tyr Asn Cys Ser Gly Glu Ala Cys Arg Gly His Asn Arg Ser Pro	
505 510 515	
CTG GTC AGG CGG CCG TCC CTA CAG ATG AAT ACC AGC ATC TGG TAC AAC	1697
Leu Val Arg Arg Pro Ser Leu Gln Met Asn Thr Ser Ile Trp Tyr Asn	
520 525 530	
CGA TCT GAT GTG TTT GAG GCC TGG CGG CTG CTG CTC ACA TCT GCT CCC	1745
Arg Ser Asp Val Phe Glu Ala Trp Arg Leu Leu Leu Thr Ser Ala Pro	
535 540 545	
TCC CTG GCC ACC AGC CCC GCC TTC CGC TAC GAC CTG CTG GAC CTC ACT	1793
Ser Leu Ala Thr Ser Pro Ala Phe Arg Tyr Asp Leu Leu Asp Leu Thr	
550 555 560	
CGG CAG GCA GTG CAG GAG CTG GTC AGC TTG TAC TAT GAG GAG GCA AGA	1841
Arg Gln Ala Val Gln Glu Leu Val Ser Leu Tyr Tyr Glu Glu Ala Arg	
565 570 575 580	
AGC GCC TAC CTG AGC AAG GAG CTG GCC TCC CTG TTG AGG GCT GGA GGC	1889
Ser Ala Tyr Leu Ser Lys Glu Leu Ala Ser Leu Leu Arg Ala Gly Gly	
585 590 595	
GTC CTG GCC TAT GAG CTG CTG CCG GCA CTG GAC GAG GTG CTG GCT AGT	1937
Val Leu Ala Tyr Glu Leu Leu Pro Ala Leu Asp Glu Val Leu Ala Ser	
600 605 610	
GAC AGC CGC TTC TTG CTG GGC AGC TGG CTA GAG CAG GCC CGA GCA GCG	1985
Asp Ser Arg Phe Leu Leu Gly Ser Trp Leu Glu Gln Ala Arg Ala Ala	
615 620 625	
GCA GTC AGT GAG GCC GAG GCC GAT TTC TAC GAG CAG AAC AGC CGC TAC	2033
Ala Val Ser Glu Ala Glu Ala Asp Phe Tyr Glu Gln Asn Ser Arg Tyr	
630 635 640	
CAG CTG ACC TTG TGG GGG CCA GAA GGC AAC ATC CTG GAC TAT GCC AAC	2081
Gln Leu Thr Leu Trp Gly Pro Glu Gly Asn Ile Leu Asp Tyr Ala Asn	
645 650 655 660	
AAG CAG CTG GCG GGG TTG GTG GCC AAC TAC TAC ACC CCT CGC TGG CGG	2129
Lys Gln Leu Ala Gly Leu Val Ala Asn Tyr Tyr Thr Pro Arg Trp Arg	
665 670 675	
CTT TTC CTG GAG GCG CTG GTT GAC AGT GTG GCC CAG GGC ATC CCT TTC	2177
Leu Phe Leu Glu Ala Leu Val Asp Ser Val Ala Gln Gly Ile Pro Phe	
680 685 690	
CAA CAG CAC CAG TTT GAC AAA AAT GTC TTC CAA CTG GAG CAG GCC TTC	2225
Gln Gln His Gln Phe Asp Lys Asn Val Phe Gln Leu Glu Gln Ala Phe	
695 700 705	
GTT CTC AGC AAG CAG AGG TAC CCC AGC CAG CCG CGA GGA GAC ACT GTG	2273
Val Leu Ser Lys Gln Arg Tyr Pro Ser Gln Pro Arg Gly Asp Thr Val	
710 715 720	

- 50 -

GAC CTG GCC AAG AAG ATC TTC CTC AAA TAT TAC CCC GGC TGG GTG GCC 2321
Asp Leu Ala Lys Lys Ile Phe Leu Lys Tyr Tyr Pro Gly Trp Val Ala
725 730 735 740

GGC TCT TGG TGATAGATTC GCCACCACTG GGCCTTGTTT TCCGCTAATT 2370
Gly Ser Trp

CCAGGGCAGA TTCCAGGGCC CAGAGCTGGA CAGACATCAC AGGATAACCC AGGCCTGGGA 2430

GGAGGCCCCA CGGCCTGCTG GTGGGGTCTG ACCTGGGGGG ATTGGAGGGA AATGACCTGC 2490

CCTCCACCAC CACCCAAAGT GTGGGATTAA AGTACTGTTT TCTTTCCACT TAAAAAAAAA 2550

AAAAAAGTCG AGCGGCCGCG AATTC 2575

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 743 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:

(A) NAME/KEY: Potentially-glycosylated Asn site,

(B) LOCATION: 261

(ix) FEATURE:

(A) NAME/KEY: Potentially-glycosylated Asn site,

(B) LOCATION: 272

(ix) FEATURE:

(A) NAME/KEY: Potentially-glycosylated Asn site,

(B) LOCATION: 435

(ix) FEATURE:

(A) NAME/KEY: Potentially-glycosylated Asn site,

(B) LOCATION: 503

(ix) FEATURE:

(A) NAME/KEY: Potentially-glycosylated Asn site,

(B) LOCATION: 513

(ix) FEATURE:

(A) NAME/KEY: Potentially-glycosylated Asn site,

(B) LOCATION: 526

(ix) FEATURE:

(A) NAME/KEY: Potentially-glycosylated Asn site,

(B) LOCATION: 532

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met	Glu	Ala	Val	Ala	Val	Ala	Ala	Ala	Val	Gly	Val	Leu	Leu	Leu	Ala	1	5	10	15
Gly	Ala	Gly	Gly	Ala	Ala	Gly	Asp	Glu	Ala	Arg	Glu	Ala	Ala	Ala	Val	20	25	30	
Arg	Ala	Leu	Val	Ala	Arg	Leu	Leu	Gly	Pro	Gly	Pro	Ala	Ala	Asp	Phe	35	40	45	
Ser	Val	Ser	Val	Glu	Arg	Ala	Leu	Ala	Ala	Lys	Pro	Gly	Leu	Asp	Thr	50	55	60	
Tyr	Ser	Leu	Gly	Gly	Gly	Gly	Ala	Ala	Arg	Val	Arg	Val	Arg	Gly	Ser	65	70	75	80
Thr	Gly	Val	Ala	Ala	Ala	Ala	Gly	Leu	His	Arg	Tyr	Leu	Arg	Asp	Phe	85	90	95	
Cys	Gly	Cys	His	Val	Ala	Trp	Ser	Gly	Ser	Gln	Leu	Arg	Leu	Pro	Arg	100	105	110	
Pro	Leu	Pro	Ala	Val	Pro	Gly	Glu	Leu	Thr	Glu	Ala	Thr	Pro	Asn	Arg	115	120	125	
Tyr	Arg	Tyr	Tyr	Gln	Asn	Val	Cys	Thr	Gln	Ser	Tyr	Ser	Phe	Val	Trp	130	135	140	
Trp	Asp	Trp	Ala	Arg	Trp	Glu	Arg	Glu	Ile	Asp	Trp	Met	Ala	Leu	Asn	145	150	155	160
Gly	Ile	Asn	Leu	Ala	Leu	Ala	Trp	Ser	Gly	Gln	Glu	Ala	Ile	Trp	Gln	165	170	175	
Arg	Val	Tyr	Leu	Ala	Leu	Gly	Leu	Thr	Gln	Ala	Glu	Ile	Asn	Glu	Phe	180	185	190	
Phe	Thr	Gly	Pro	Ala	Phe	Leu	Ala	Trp	Gly	Arg	Met	Gly	Asn	Leu	His	195	200	205	
Thr	Trp	Asp	Gly	Pro	Leu	Pro	Pro	Ser	Trp	His	Ile	Lys	Gln	Leu	Tyr	210	215	220	
Leu	Gln	His	Arg	Val	Leu	Asp	Gln	Met	Arg	Ser	Phe	Gly	Met	Thr	Pro	225	230	235	240
Val	Leu	Pro	Ala	Phe	Ala	Gly	His	Val	Pro	Glu	Ala	Val	Thr	Arg	Val	245	250	255	
Phe	Pro	Gln	Val	Asn	Val	Thr	Lys	Met	Gly	Ser	Trp	Gly	His	Phe	Asn	260	265	270	
Cys	Ser	Tyr	Ser	Cys	Ser	Phe	Leu	Leu	Ala	Pro	Glu	Asp	Pro	Ile	Phe	275	280	285	

Pro	Ile	Ile	Gly	Ser	Leu	Phe	Leu	Arg	Glu	Leu	Ile	Lys	Glu	Phe	Gly
290							295				300				
Thr	Asp	His	Ile	Tyr	Gly	Ala	Asp	Thr	Phe	Asn	Glu	Met	Gln	Pro	Pro
305					310					315					320
Ser	Ser	Glu	Pro	Ser	Tyr	Leu	Ala	Ala	Ala	Thr	Thr	Ala	Val	Tyr	Glu
				325					330					335	
Ala	Met	Thr	Ala	Val	Asp	Thr	Glu	Ala	Val	Trp	Leu	Leu	Gln	Gly	Trp
			340					345					350		
Leu	Phe	Gln	His	Gln	Pro	Gln	Phe	Trp	Gly	Pro	Ala	Gln	Ile	Arg	Ala
		355					360					365			
Val	Leu	Gly	Ala	Val	Pro	Arg	Gly	Arg	Leu	Leu	Val	Leu	Asp	Leu	Phe
	370					375					380				
Ala	Glu	Ser	Gln	Pro	Val	Tyr	Thr	Arg	Thr	Ala	Ser	Phe	Gln	Gly	Gln
385					390					395					400
Pro	Phe	Ile	Trp	Cys	Met	Leu	His	Asn	Phe	Gly	Gly	Asn	His	Gly	Leu
				405					410					415	
Phe	Gly	Ala	Leu	Glu	Ala	Val	Asn	Gly	Gly	Pro	Glu	Ala	Ala	Arg	Leu
			420					425					430		
Phe	Pro	Asn	Ser	Thr	Met	Val	Gly	Thr	Gly	Met	Ala	Pro	Glu	Gly	Ile
		435					440					445			
Ser	Gln	Asn	Glu	Val	Val	Tyr	Ser	Leu	Met	Ala	Glu	Leu	Gly	Trp	Arg
	450					455					460				
Lys	Asp	Pro	Val	Pro	Asp	Leu	Ala	Ala	Trp	Val	Thr	Ser	Phe	Ala	Ala
465					470					475					480
Arg	Arg	Tyr	Gly	Val	Ser	His	Pro	Asp	Ala	Gly	Ala	Ala	Trp	Arg	Leu
				485					490					495	
Leu	Leu	Arg	Ser	Val	Tyr	Asn	Cys	Ser	Gly	Glu	Ala	Cys	Arg	Gly	His
			500					505					510		
Asn	Arg	Ser	Pro	Leu	Val	Arg	Arg	Pro	Ser	Leu	Gln	Met	Asn	Thr	Ser
		515					520					525			
Ile	Trp	Tyr	Asn	Arg	Ser	Asp	Val	Phe	Glu	Ala	Trp	Arg	Leu	Leu	Leu
	530					535					540				
Thr	Ser	Ala	Pro	Ser	Leu	Ala	Thr	Ser	Pro	Ala	Phe	Arg	Tyr	Asp	Leu
545					550					555					560
Leu	Asp	Leu	Thr	Arg	Gln	Ala	Val	Gln	Glu	Leu	Val	Ser	Leu	Tyr	Tyr
				565					570					575	
Glu	Glu	Ala	Arg	Ser	Ala	Tyr	Leu	Ser	Lys	Glu	Leu	Ala	Ser	Leu	Leu
			580					585					590		

Arg	Ala	Gly	Gly	Val	Leu	Ala	Tyr	Glu	Leu	Leu	Pro	Ala	Leu	Asp	Glu
	595						600					605			
Val	Leu	Ala	Ser	Asp	Ser	Arg	Phe	Leu	Leu	Gly	Ser	Trp	Leu	Glu	Gln
	610					615					620				
Ala	Arg	Ala	Ala	Ala	Val	Ser	Glu	Ala	Glu	Ala	Asp	Phe	Tyr	Glu	Gln
625					630					635					640
Asn	Ser	Arg	Tyr	Gln	Leu	Thr	Leu	Trp	Gly	Pro	Glu	Gly	Asn	Ile	Leu
				645					650					655	
Asp	Tyr	Ala	Asn	Lys	Gln	Leu	Ala	Gly	Leu	Val	Ala	Asn	Tyr	Tyr	Thr
			660					665					670		
Pro	Arg	Trp	Arg	Leu	Phe	Leu	Glu	Ala	Leu	Val	Asp	Ser	Val	Ala	Gln
		675					680					685			
Gly	Ile	Pro	Phe	Gln	Gln	His	Gln	Phe	Asp	Lys	Asn	Val	Phe	Gln	Leu
	690					695					700				
Glu	Gln	Ala	Phe	Val	Leu	Ser	Lys	Gln	Arg	Tyr	Pro	Ser	Gln	Pro	Arg
705					710					715					720
Gly	Asp	Thr	Val	Asp	Leu	Ala	Lys	Lys	Ile	Phe	Leu	Lys	Tyr	Tyr	Pro
				725					730						735
Gly	Trp	Val	Ala	Gly	Ser	Trp									
				740											

(2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10380 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
- (viii) POSITION IN GENOME:
 - (A) CHROMOSOME/SEGMENT: Chromosome 17
- (ix) FEATURE:
 - (A) NAME/KEY: exon 1
 - (B) LOCATION: 990..1372
- (ix) FEATURE:
 - (A) NAME/KEY: exon 2
 - (B) LOCATION: 2115..2262

(ix) FEATURE:

(A) NAME/KEY: exon 3
(B) LOCATION: 3056..3202

(ix) FEATURE:

(A) NAME/KEY: exon 4
(B) LOCATION: 3387..3472

(ix) FEATURE:

(A) NAME/KEY: exon 5
(B) LOCATION: 5667..5923

(ix) FEATURE:

(A) NAME/KEY: exon 6
(B) LOCATION: 7745..8955

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

ATAATGAGCA GTGAGGACGA TCAGAGGTCA CCTTCCTGTC TTGGTTTTGG CAGGTTTTGA 60
CCAGTTTCTT TGCTGCATTC TGTTTATCA GCGGGGTCTT GTGACCTTTT ATCTTGTGCT 120
GACCTCCTGT CTCATCCTGT GACGAAGGCC TAACCTCCTG GGAATTCAGC CCAGCAGGTC 180
TCTGCCTCAT TTTACCCAGC CCCTGTTCAA GATGGAGTCG CTCTGGTTGG AAACCTTCTGA 240
CAAAATGACA GCTCCTGTTA TGTTGCTGCT GCTGCCGCCA ATGGACAGCC TTTAACGTGC 300
CCGCCAGCCC TGCTCCACCG CCGGCCTGGG CTCACATGGC CCCATCCCTC CTCGAACCTC 360
CTAGCCTGTT AGTTACTCAA ATCTGCAAGC TCTCTGCCTT CTCAGGGCCT TCAATAAATG 420
CATTTCTTCT GTCTGGAAGG CTCTTCCTTT CCCTCTTCTA GCCAATTCCT ATTCATCCCT 480
GAGTTTCAGA TTAAAAGTCA CTTCCCTTTGG AAACCTTACT TCGCTACTTC GCTACTTACT 540
GCACTACTTC GCAGCATCAC AACTATGATG GAAATCCTTA CTTACGTTAA ATATCTGGTT 600
TCTAGGTCAC CTCCCTGACG GGGACGGTAG GGACCGTCTT CTCGTTTCATC AGTAGGGAAG 660
TAGCTATGGC AGTGCCTGAT AAAAAATAAA CTCCAAATGT GTATTTATTA GATGGTTGGA 720
TGGAAGTTAT TTGCGTGTGA AAGCGCGTTT TACCCGAAGG CGCTCTGTGA GGGCCAGCGG 780
GTCCCCTTCG GCCCTGGAGC CGGGGTCACA CGCTCCCCAC CGCGTGCGGT CACGAGACGC 840
CCCCAAGGGA GTATCCTGGT ACCCGGAAGC CGCGACTCCT GGCCCTGAGC CCGGGCTTAG 900
CCTTCGGGTC CACGTGGCCG GAGCCGGCAG CTGATTGGAC GCGGGCCGCC CCACCCCCTG 960
GCCGTCGCGG GACCCGCAGG ACTGAGACCA TGGAGGCGGT GGCGGTGGCC GCGGCGGTGG 1020
GGGTCCTTCT CCTGGCCGGG GCCGGGGGCG CGGCAGGCGA CGAGGCCCGG GAGGCGGCGG 1080
CCGTGCGGGC GCTCGTGGCC CGGCTGCTGG GGCCAGGCCC CGCGGCCGAC TTCTCCGTGT 1140

CGGTGGAGCG	CGCTCTGGCT	GCCAAGCCGG	GCTTGGACAC	CTACAGCCTG	GGCGGCGGCG	1200
GCGCGGCGCG	CGTGCGGGTG	CGCGGCTCCA	CGGGCGTGGC	GGCCGCCGCG	GGGCTGCACC	1260
GCTACCTGCG	CGACTTCTGT	GGCTGCCACG	TGGCCTGGTC	CGGCTCTCAG	CTGCGCCTGC	1320
CGCGGCCACT	GCCAGCCGTG	CCGGGGGAGC	TGACCGAGGC	CACGCCCAAC	AGGTACCGCC	1380
CCGAAGCTTC	CCCGCGTCCG	CCCGAGGCGC	TTACCCCTC	CCGGAGCCGC	TGCCACCCAA	1440
ATCGGGAGGC	TGAGCGGGGA	GCGCTGGCCG	GAAGGCCCAG	CTGCGCCGCC	TCCAGCAGCT	1500
TGTGTGGCCTT	GAGCCAGCCA	CTCTGCCTTT	CAGAGCCTCG	GCTGGCCCAC	CTGAAAAACG	1560
GAAAGAAGAC	GCCTACCGTG	CAGTGTATAT	GTGAGGATTT	GCACGATGAT	GGGCATAGAA	1620
TTTGTGGTGC	ACAATTGGTG	ATGAGTGAAT	TTTCTTGCCT	TCCTCCCCCA	CCTTCTCTTT	1680
GAACCTGCGG	ACTGAGGAAG	GACGCCTCCA	TCCCCACCC	TACAGGCCTG	TGTTCCAGCG	1740
CCTGCCACAC	TATGGAGTGA	TGTGTTCACA	CAGCTGTCCT	CCCCTGCCCA	TCTGTTAGAC	1800
TGTGGGGGCA	GGGATTCCCC	GTTCCAGGAA	AACACCGTGC	AGAGGAGGGG	CTCTGGCAGT	1860
GTGGCATGAA	AGTGGAATAT	GCCACCCAAA	TACCCGCCAG	GCTAGAGGGC	CCTGGGAGAG	1920
TGCAGGGGAC	GAGTGCCTCA	GAAGCCCAGC	CCCGGTACCT	GGTCTCAGCT	CCACCTGGGG	1980
TGGGTCCAG	TGTGCAGCAG	AAGGGCCGAG	TTTGAGCCCC	CTCCCCTCTC	CTCTAGGTGG	2040
GGGATGGGGG	ATTTGTTCCA	GGGCCGTGGA	CCCTCCAGGG	TGGGATGCGC	CCCTGCTCAT	2100
GAACTGCCC	GCAGGTACCG	CTATTACCAG	AATGTGTGCA	CGCAAAGCTA	CTCCTTCGTG	2160
TGGTGGGACT	GGGCCCCTG	GGAGCGAGAG	ATAGACTGGA	TGGCGCTGAA	TGGCATCAAC	2220
CTGGCACTGG	CCTGGAGCGG	CCAGGAGGCC	ATCTGGCAGC	GGGTGCGTGC	CCACTGTCCC	2280
TTCCCCACCC	TCCTCTATGG	CGGGAGCCAC	CGTAGGTGTT	TTCACCCGCC	CCCCAGCATG	2340
GGCGCAGTGT	CTCTCTCTAG	AAGTGCTTTC	AGCGTGCACA	GTGGCTTGGG	CCTCCTAAAA	2400
ACTGAGGCTT	CCGGCCGGGC	GCGGTGGCTC	ACGCCTGTCA	TCCCAGCACT	TCGGGAGGCC	2460
TAGGCGGGCG	GATCAGGAGT	TCAGGAGATC	GAGACCATCC	TGGCCAACAT	TGTGAAACCC	2520
CGTCTCTACT	AAAATACAAA	GAAATAGCAA	CCTGGGCAAC	AGAGCGAGAC	TCTGTCTAAA	2580
AAAAAAAAAA	AAAAAACTG	AGGCTTCCAG	TTTGAGGAGT	GGGGCTCCTT	CCCCCATCTC	2640
CCCTATGCAG	CCAATCACCT	GGTCCCCTGG	ATCCAACCTCA	TGGGCAGCTC	TAGATCTGCC	2700
TCCCTGGAAG	CTTCTGTGCT	GCAATGGCTG	CTCCAGGCTC	TGCTTAAGCT	CTTCACACAG	2760
TGCCCCTGCC	CTTCCATCTG	GCACTCTTGC	TCCATGAAGC	CTTCTAAGGC	CTTCCTGTTG	2820

GGGGAAAGCC CCTTTGTGCC CCATCTCCTC ACCCATGCGA CAAAGGCAAC ACAGTGAAC 2880
CACCTACTCA CAGGTCTCTT TCCTCTGGGC TGTGGGCTCC TTGATGGCAG CGTTCGGATT 2940
TTGTCTCAGT AGCCCTAGCA CCCAGCACAA AGAAGCAATG AGTGAATGGT TGTGAATGA 3000
ATGAATGAAT GAATGAAGAT GAATATATTT CTATGTGTGG GCCCTTCTTC CTCAGGTGTA 3060
CCTGGCCTTG GGCCTGACCC AGGCAGAGAT CAATGAGTTC TTTACTGGTC CTGCCTTCCT 3120
GGCCTGGGGG CGAATGGGCA ACCTGCACAC CTGGGATGGC CCCCTGCCCC CCTCCTGGCA 3180
CATCAAGCAG CTTTACCTGC AGGTAAAAGG ATGGAAAAGG GAAGGGGCAG AATCGGTGAT 3240
AGATGGTCAT GGGCCCAGGA AGGGTGGTAT TAGGCCGGCC CCAGGGCTCT TAACTGAGGC 3300
GGGGGGCTGC GTGTATCCTG GGAGATGAGG GCCTTCTCAT AGGACAGCAG TGGCCATGCT 3360
CACCACCCTT CCTTCTGTTC CTCCAGCACC GGGTCCTGGA CCAGATGCGC TCCTTCGGCA 3420
TGACCCAGT GCTGCCTGCA TTCGCGGGG ATGTTCCCGA GGCTGTCACC AGGTGAGGTT 3480
CCGCTCACCC CCTCCACTTA GCTCAGAGAG GGAATTTTAT TCCCTTCTAG AACATGACTT 3540
AAAACTTAA GCTCTGGGCC GGGCGCAGTG GCTCACGCCT GTAATCCCAG CACTTTGGGA 3600
GGCCGAGTTG GGCGGATCAC CTGAGGTCAG GAGTTCGAGA CCAGCCTGGC CAACATGGTG 3660
AAACCCTGTC TCTACTAAAA ATATAAAAAT TAGCTGGGCA TGGTGGCACG CGCCTGTAAT 3720
CCCATCTACT TAGGAGGCTG AGACAGGAGA ATTGCTTAAA CCTGGGAGGC AGACGTTGCA 3780
GTGAGTCAAG ATCACGCCAT TGCACTCCAG CCTGGGTGAC GAGCGAAACT CTGTCTCAA 3840
CAAACAAACA AGCTCTGGAC GTAGGCCTGG GTTTGATTTT TGA CTCTGCT ACTAATTAGC 3900
TGTGTGACTT CGGGCAGATG ACATGACTGC TCTGTGCCTC AGTTTCCTTA CTTGTAAAAT 3960
GGGATCTCTA CCCACTTCGC TGTAGGGTTT GTAATTATCT CTCGATCTAT CTGTGACTTT 4020
GCACAGAGTG CTAGCAAATG GCAGCCCTTG GGAGTGGCAG CAGGGGTGCT CCAGTGTCCC 4080
TTGTCCCTCC TGTTCTCTG TGCTTCCCAG CCATCCTCTC ACATGTGGTT GGGAAAAGTC 4140
TTCAAGGCTC ACCTGAGACC TCCCCTCCTT CAGGAAGCCT TGCTAGTGCC CCGCATGACC 4200
TCCTTTGCAC CTGCTAATGT CTGGCTCCCA TACTCTCGTA GGACTTAATG CATGCCAGTG 4260
GCCTCCCTGC CCGCCTCTTT GCCCCATCA CCAGGTGGCA GGAAACTCAC TCATTCATTC 4320
AATAAACTTG GTCCAGCTGT CTGAGGCTGC CAGAACTGGC TGTGCTGGGT CCTGGGAGGC 4380
GGCAAGAAAG GTGCCCAAGG GCTTACCCCT GATAGGAGAG ATATGTTGGC TGAAGGATAC 4440
AATGTGGGGA CAAGGACAGG AATATATGTG GGTTCGCTC TCCTCTGCCG GGAGAGAGGG 4500

GCAGGAAGGG CTCAGGGCAG AGCCCAGCCT TGAAAAATGA GTGTTGCTTG GACGGACGCT 4560
TGGCTAATGC TTGTAATCCT AGCGTTTTTG GAGGCTGAGG CGTATGGATC ACCTGCGGTC 4620
AGGAGTTAAA GACCAGCCTG GCCAACATGG CGAAACCCCA TCTCTACTAA AAGTACAAAA 4680
ATTAGCCAGG CGTGGTGGCG GGCTCCTGTA ATCCCAGCTA CTCGGTAGGC TGAGGCATGA 4740
GAATCTCTTG AAGCCAGGGG CCAGAGACTG CAGTGAGCCG AGATCACACC ACTTCACTCC 4800
AGCCTGGGTG ACAGAGTGAG ACTCCGTCTC AAAAAAAAAA AAAAAAAAAAG GAAAGAAAAT 4860
TAAACACCTC ATGTTCTCAC TCATAGTGGG AGTTGAACAA TGAGAACAAC ATGGACACAG 4920
GAAGGGGAAC ATCACACACC GGGGCCTTTC GCGGTGTGGG GGTCAAGGGG AGGAGTAGCA 4980
TTGGGACAGA TACTTAATGC ATGCGGGGCT GAAAACCTAG ATGATGGGTT GATGGGTGCA 5040
GCAAACCACC ATGGCACATG TATACCTATG CAACAAACCT GCATGTTCTG CACAGAACTG 5100
AACTGAAAGT ATAATTAAAA AAAAAAAAAA AAGCTGGGTG CGGTGGCCCA CACCTGTAAT 5160
CCCAGCACTT TGGGAGGCCG AGACGGGCGG ATCACAAGGT CAGCAGATCG AGACCATCCT 5220
GGCTAACACA GTGAAACTCA GTCTCTACTA AAAATACAAA AAATTAGCCG GGTGTGGTGG 5280
CGGGCACCTG TAGTCCCAGC TACTAGGGAG GCTGAGGCAG GAGAATGGCA TGAACCTGGG 5340
AGGCAGAGCT TGCAGTGAGC TGAGAATGCG CCACTGCACT CCAGCCTGGG GGACAGAGTG 5400
AGACTCTGCC TCAAAAAAAAA AAAAAAAAAAG AAAGAAAAAG GAGCGTTGCT TGTTTTAGGC 5460
CACAGGAAGG GGAGAGATAG TGAAAGTTTT TCAGAGAAGG TGGCCAGGGA AGGAGAAGAA 5520
AGGACTGTAG GCAGAGAGCA TAGCCTGTAC AAAGCCATAG AGGCAAGAGA AACCAGGAGC 5580
TGTAGAGAAG TTGGCAAGGC TGTGTAACAC TATGGTGAAC ACTATGGCGG CTTCCATGAA 5640
ATATCTGAGC TTTTGCTCCC CACTAGGGTG TTCCCTCAGG TCAATGTCAC GAAGATGGGC 5700
AGTTGGGGCC ACTTTAACTG TTCCTACTCC TGCTCCTTCC TTCTGGCTCC GGAAGACCCC 5760
ATATTCCCCA TCATCGGGAG CCTCTTCCTG CGAGAGCTGA TCAAAGAGTT TGGCACAGAC 5820
CACATCTATG GGGCCGACAC TTTCAATGAG ATGCAGCCAC CTTCTCAGA GCCCTCCTAC 5880
CTTGCCGCAG CCACCACTGC CGTCTATGAG GCCATGACTG CAGGTACAGT GCCTGGGTGG 5940
GGTGGGAGAG CCCCCAGAC CCTCAAAAAG AAGGGAGTAG CAGATGTCAG TAGGGGTAGG 6000
CAGAGGGACT GGAATAATGC CTCGCCATAA CACACAGTAC TTTATAGTTT ACCAAGCACG 6060
TGTACACATG CGTTGTCTCA GTGAATCCCA CTGTGGTTGA GAGGTGAGCT CTGGAAGCCA 6120
ACAACCTGGG TCACACCTCG CGCTCCTATT TCCTGGCCGT GTGACTTATG ACTCATGACC 6180

9

GTTCTGGACC TGTTTGCTGA GAGCCAGCCT GTGTATACCC GCACTGCCTC CTTCCAGGGC 7920
CAGCCCTTCA TCTGGTGCAT GCTGCACAAC TTTGGGGGAA ACCATGGTCT TTTTGGAGCC 7980
CTAGAGGCTG TGAACGGAGG CCCAGAAGCT GCCCGCCTCT TCCCCAACTC CACCATGGTA 8040
GGCACGGGCA TGGCCCCCGA GGGCATCAGC CAGAACGAAG TGGTCTATTC CCTCATGGCT 8100
GAGCTGGGCT GGCGAAAGGA CCCAGTGCCA GATTTGGCAG CCTGGGTGAC CAGCTTTGCC 8160
GCCCCGGCGT ATGGGGTCTC CCACCCGGAC GCAGGGGCAG CGTGGAGGCT ACTGCTCCGG 8220
AGTGTGTACA ACTGCTCCGG GGAGGCCTGC AGGGGCCACA ATCGTAGCCC GCTGGTCAGG 8280
CGGCCGTCCC TACAGATGAA TACCAGCATC TGGTACAACC GATCTGATGT GTTTGAGGCC 8340
TGGCGGCTGC TGCTCACATC TGCTCCCTCC CTGGCCACCA GCCCCGCCTT CCGCTACGAC 8400
CTGCTGGACC TCACTCGGCA GGCAGTGCAG GAGCTGGTCA GCTTGTAATA TGAGGAGGCA 8460
AGAAGCGCCT ACCTGAGCAA GGAGCTGGCC TCCCTGTTGA GGGCTGGAGG CGTCCTGGCC 8520
TATGAGCTGC TGCCGGCACT GGACGAGGTG CTGGCTAGTG ACAGCCGCTT CTTGCTGGGC 8580
AGCTGGCTAG AGCAGGCCCG AGCAGCGGCA GTCAGTGAGG CCGAGGCCGA TTTCTACGAG 8640
CAGAACAGCC GCTACCAGCT GACCTTGTGG GGGCCAGAAG GCAACATCCT GGACTATGCC 8700
AACAAGCAGC TGGCGGGGTT GGTGGCCAAC TACTACACCC CTCGCTGGCG GCTTTTCCTG 8760
GAGGCGCTGG TTGACAGTGT GGCCCAGGGC ATCCCTTTCC AACAGCACCA GTTTGACAAA 8820
AATGTCTTCC AACTGGAGCA GGCCTTCGTT CTCAGCAAGC AGAGGTACCC CAGCCAGCCG 8880
CGAGGAGACA CTGTGGACCT GGCCAAGAAG ATCTTCCTCA AATATTACCC CGGCTGGGTG 8940
GCCGGCTCTT GGTGATAGAT TCGCCACCAC TGGGCCTTGT TTTCCGCTAA TTCCAGGGCA 9000
GATTCCAGGG CCCAGAGCTG GACAGACATC ACAGGATAAC CCAGGCCTGG GAGGAGGCC 9060
CACGGCCTGC TGGTGGGGTC TGACCTGGGG GGATTGGAGG GAAATGACCT GCCCTCCACC 9120
ACCACCCAAA GTGTGGGATT AAAGTACTGT TTTCTTTCCA CTTAAACTGA TGAGTCCCCT 9180
GGGTCTGTCA AAATGAGAAG GTCAGTCTG CCACGCTTGG GAGGACTCAG GGCTATAGCA 9240
TGGCCCTGGG GTGGGACCTG TTCTCCCATC CCTTGCCTCA CGTCCCTGTT TTTGTTTGT 9300
TGTTTGTGTT TGACGGAGCC TTGGTCTGTT GCCCAGGCTT GAGTACAATG GCACAGTCTC 9360
GGCTCACTGC AACCTCCGCC TCCTGGGTTC AAGCAATTCT TGTGCCTCAG CCTCCCCGGT 9420
AGCTGGGACT ATAGGCATGC ACCACCACAC CAGGCTAATT TTTTTTTTC CAAGATGGAG 9480
TCTTGCTCTG TCGCCCAGGT TGGAGTTTAG TGGCACCATA TTGGTTTACT GCAACCTCTG 9540

CCTCCCGGGT TCAAGCAATT CTCCTGCCTC AGTCTACCAG GGAGTTAGGA CTACGGGCCT 9600
GTGCCATCAC GCCTGGCTAA TTTTGTATT TTTCATAGAG ATAAGGTTTC ACCATGTTGG 9660
CCAGGCTGGT CTTTAACTCC TGAAGTCAAG TGATCCACCT GCCTCGGCCT TCCAAAGTGC 9720
TGGGATTACA GGAGTGAGCC ACCGTGCCCCG GCCATGTCTC TCTTTTAAAC ACTAATGTTA 9780
CCCTGACCTT TGAACGTAGA ATGCCCTTCT GTTGCAGGAA AACCTCTTTT CAAACCATGT 9840
TTGTCCTTTG CTGGCATGCC ACAGCAACAG TCACCAACAC AGAAGACTTC TGTGACCAAA 9900
TATTTGGAGG ATTTTCCCCA CACACACCAA GCAGCAGACA TCAGCTGGGT GTCCTCCAAT 9960
TCAGTTCCAA TGTAATCAAC CAGAGACAGC ATCAGATCCC ACAGGGTTAG GGTGCAGATC 10020
CATGAGACCA CCCCCTCCTT CCCAACGGTT ACAAGTCCTG ATCCCTGGAA CTTCTGACTA 10080
ACTGGCTTCA AGTTGGAGTT CCCATGACCC CCTTCCCCTC TTTGGAGTCA ACTCATTTGC 10140
GACAGTGACC CACGAAACAC AGGGAAACCC TTATTATGTT TATTGCTTTA TTACAGAGGA 10200
AAAAAATTTT TTTCTTTCTT TTTTGAGACA GGGTCTCACT CTGTCATCCA GAATGACTGC 10260
AGTGGCAGGA TCTGGCTCCG TCACCCAGGC TGGAGTGCAG TGGCATGATC TCGGCTCACT 10320
ACAGCCTCCA TCCCCCCAA ACCCCACGCC TCAGCGCCCC ACCCCGCAAG TGGCTGGGAC 10380

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: Homo sapiens

(ix) FEATURE:

(A) NAME/KEY: Modified-site

(B) LOCATION: 10

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Asp Glu Ala Arg Glu Ala Ala Ala Val Arg Ala Leu Val Ala Arg
1 5 10 15

Leu Leu Gly Pro Gly
20

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 18 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: Homo sapiens

(ix) FEATURE:

(A) NAME/KEY: Modified-site, glycosylated or
phosphorylated, wherein Xaa may be any
amino acid residue, preferably Arg.

(B) LOCATION: 16

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Lys Pro Gly Leu Asp Thr Tyr Ser Leu Gly Gly Gly Gly Ala Ala Xaa Val
1 5 10 15

Arg

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: Homo sapiens

(ix) FEATURE:

(A) NAME/KEY: Modified-site, glycosylated or
phosphorylated, wherein Xaa may be any
amino acid residue, preferably Ala

(B) LOCATION: 12

(ix) FEATURE:

(A) NAME/KEY: Modified-site, glycosylated or
phosphorylated, wherein Xaa may be any
amino acid residue, preferably Ser

(B) LOCATION: 14

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Trp	Arg	Leu	Leu	Leu	Thr	Ser	Ala	Pro	Ser	Leu	Xaa	Thr	Xaa	Pro
1				5					10					15